

curl



dit document beschrijft de werking van curl

werking

1. handig als vervanging van telnet:

```
curl -vv telnet://<hostname/IP>:<poort>
```

2. extern adres achterhalen:

```
curl ifconfig.io
```

3. download met progress bar:

```
curl -L  
https://cdimage.debian.org/debian-cd/current/amd64/iso-cd/debian-11.6.0  
-amd64-netinst.iso -o debain11.6.iso
```

```
root@kali:~# curl -L https://cdimage.debian.org/debian-cd/current/amd64/iso-cd/debian-11.6.0-amd64-netinst.iso --output debain11.6.iso  
% Total % Received % Xferd Average Speed Time Time Time Current  
Dload Upload Total Spent Left Speed  
100 359 100 359 0 0 1042 0 --:--:-- --:--:-- --:--:-- 1043  
58 388M 58 225M 0 0 8711k 0 0:00:45 0:00:26 0:00:19 8780k
```

[linux](#), [curl](#)

voorbeeld

- controleer toegang op LDAP van jumpcloud:

```
curl -vv telnet://ldap.jumpcloud.com:389
```

meer info

- [website curl](#)

From:

<https://louslab.be/> - **Lou's lab**

Permanent link:

<https://louslab.be/doku.php?id=linux:curl>

Last update: **2024/11/16 18:14**

